

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Site: Pennywell Road (7901490)

Locality: Pilton, Edinburgh, City of Edinburgh

Area: North West Locality

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset: 1.00	Asset - Locn.: Ward 4 - Muirhouse Parkway to Ferry Road			Feature Type: Road Asset			Area: North West Locality	
Batch: 41237926 - Inspection Batch				Route: SfP_NorthWest				Date: 06/10/2025
42190518	1 missing sfp bollard	06/10/2025	At west pilton crescent	RD: SFP Damaged Bollard	Internal		Committed	50185168
Batch: 41237439 - Inspection Batch				Route: NW_CW1_North1				Date: 29/09/2025
	No actionable defects found							
Batch: 41236322 - Inspection Batch				Route: Ad hoc Route				Date: 10/09/2025
42189857	Missing and loose bollards	10/09/2025	Junction Muirhouse Avenue	RD: Bollard Damage/Missing/Neve	Internal		Committed	50184695
Batch: 41235810 - Inspection Batch				Route: Ad hoc Route				Date: 02/09/2025
42189364	Pothole on carriageway	02/09/2025	Outside 53,46,40,28,37	RD: CW Pothole	Internal		Committed	50184343
Batch: 41235638 - Inspection Batch				Route: SfP_NorthWest				Date: 28/08/2025
	No actionable defects found							
Batch: 41235117 - Inspection Batch				Route: Ad hoc Route				Date: 20/08/2025
42188728	Permanent repair required	20/08/2025	Junction Cleghorn Road	RD: FW HRA Cracked/Broken	Internal		Uncommitted	50183851
Batch: 41234034 - Inspection Batch				Route: SfP_NorthWest				Date: 01/08/2025
	No actionable defects found							
Batch: 41232844 - Inspection Batch				Route: Ad hoc Route				Date: 14/07/2025
42186944	Pothole on carriageway	14/07/2025	Main carriageway outside 46,40,post 16	RD: CW Pothole	Internal		Committed	50182608
Batch: 41232843 - Inspection Batch				Route: Ad hoc Route				Date: 14/07/2025
42186943	Pothole on carriageway	14/07/2025	Outside 35,	RD: CW Pothole	Internal		Committed	50182607
Batch: 41232842 - Inspection Batch				Route: Ad hoc Route				Date: 14/07/2025
42186942	Pothole on carriageway	14/07/2025	Zebra crossing west side	RD: CW Pothole	Internal		Committed	50182606
Batch: 41232127 - Inspection Batch				Route: SfP_NorthWest				Date: 02/07/2025
	No actionable defects found							
Batch: 41231994 - Inspection Batch				Route: NW_Pennywell_6Month				Date: 30/06/2025
42186291	1 cw pothole at crossing	30/06/2025	At entrance to craigroyston health centre	RD: CW Pothole	Internal		Committed	50182140
42186300	Please replace missing Toby cover on footway	30/06/2025	Outside 63	RU: Utility Apparatus	Internal		Uncommitted	50182149
Batch: 41231752 - Inspection Batch				Route: NW_CW1_North1				Date: 25/06/2025
42186105	Permanent repair required	25/06/2025	Heading north at zebra crossing outside shops at bus stop	RD: CW Rutting	Internal		Committed	50180638
Batch: 41230582 - Inspection Batch				Route: Ad hoc Route				Date: 10/06/2025
42185387	Pothole on carriageway	10/06/2025	Outside 32,31	RD: CW Pothole	Internal		Committed	50181192
Batch: 41229937 - Inspection Batch				Route: Ad hoc Route				Date: 04/06/2025
42184961	Refresh markings at junction	04/06/2025	Junction Ferry Road and Pennywell Road	RD: Markings Refresh	Internal		Uncommitted	50180870

Site History Report

Effective: 28/10/2024 to 28/10/2025
 Service: Roads General
 Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
 Display Action Officer: No

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset:	1.00	Asset - Locn.: Ward 4 - Muirhouse Parkway to Ferry Road		Feature Type: Road Asset		Area: North West Locality		
Batch: 41229796 - Inspection Batch			Route: Ad hoc Route			Date: 03/06/2025		
42184836	please turn speed limit sign so it faces 30mph for traffic approaching the Ferry Road Junction, and if you can give it a clean as well - cheers	03/06/2025	Pennywell Road, at junction with Ferry Road	RD: Unlit Sign Damaged/Missing	Internal		Committed	50180749
Batch: 41229601 - Inspection Batch			Route: Ad hoc Route			Date: 29/05/2025		
42184705	Permanent repair required	29/05/2025	Heading north at zebra crossing outside shops at bus stop	RD: CW Rutting	Internal		No Action Required	
Batch: 41229539 - Inspection Batch			Route: Ad hoc Route			Date: 29/05/2025		
42184606	Damaged footway box lids	29/05/2025	Outside 59,63	RU: Utility Apparatus	Internal		Uncommitted	50180561
Batch: 41229275 - Inspection Batch			Route: SfP_NorthWest			Date: 27/05/2025		
42184338	1no missing bollard	27/05/2025	Outside 21	RD: SFP Damaged Bollard	Internal		Committed	50180425
Batch: 41229089 - Inspection Batch			Route: Ad hoc Route			Date: 26/05/2025		
42184188	Pothole on carriageway	26/05/2025	Pennywell Road junction Ferry Road	RD: CW Pothole	Internal		Committed	50180330
Batch: 41227529 - Inspection Batch			Route: Ad hoc Route			Date: 06/05/2025		
42182888	Pothole on footway	06/05/2025	Bus stop outside 24	RD: FW HRA Pothole	Internal		Committed	50179551
Batch: 41227528 - Inspection Batch			Route: Ad hoc Route			Date: 06/05/2025		
42182887	Pothole on carriageway	06/05/2025	Junction Muirhouse Avenue	RD: CW Pothole	Internal		Committed	50179550
Batch: 41226809 - Inspection Batch			Route: SfP_NorthWest			Date: 25/04/2025		
42182176	2no missing bollards	25/04/2025	Outside Ferrywell Youth Project	RD: SFP Damaged Bollard	Internal		Committed	50179082
42182179	2no missing bollards	25/04/2025	Approx 10m north of Muirhouse Avenue	RD: SFP Damaged Bollard	Internal		Committed	50179085
Batch: 41226071 - Inspection Batch			Route: Ad hoc Route			Date: 15/04/2025		
42181448	Hole on verge	15/04/2025	Opposite 19	RD: FW HRA Pothole	Internal		Committed	50178612
Batch: 41226070 - Inspection Batch			Route: Ad hoc Route			Date: 15/04/2025		
42181447	Damaged bollard	15/04/2025	Outside 13	RD: Bollard Damage/Missing/Neve	Internal		Committed	50178611
Batch: 41225896 - Inspection Batch			Route: Ad hoc Route			Date: 14/04/2025		
42181188	Repair damaged ra	14/04/2025	Junction Northlawn Court	RD: Railing Damage/Missing/Neve	Internal		Committed	50178497
Batch: 41225591 - Inspection Batch			Route: Ad hoc Route			Date: 09/04/2025		
42180980	Permanent repair required	09/04/2025	Outside 82	RD: CW Rutting	Internal		Committed	50178333
Batch: 41225182 - Inspection Batch			Route: Ad hoc Route			Date: 04/04/2025		
42180675	Pothole on carriageway	04/04/2025	Heading south from roundabout	RD: CW Pothole	Internal		Committed	50178166
Batch: 41225181 - Inspection Batch			Route: Ad hoc Route			Date: 04/04/2025		
42180674	Pothole on carriageway	04/04/2025	Junction Marine Drive	RD: CW Pothole	Internal		Committed	50178165
Batch: 41223579 - Inspection Batch			Route: SfP_NorthWest			Date: 22/03/2025		
42179376	1no missing bollard	20/03/2025	At West Pilton crescent	RD: SFP Damaged Bollard	Internal		Committed	50177359
Batch: 41222186 - Inspection Batch			Route: NW_CW1_North1			Date: 11/03/2025		
No actionable defects found								

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset:	1.00	Asset - Locn.: Ward 4 - Muirhouse Parkway to Ferry Road		Feature Type: Road Asset		Area: North West Locality		
Batch: 41220516 - Inspection Batch		Route: SfP_NorthWest					Date: 25/02/2025	
42176955	4no potholes	25/02/2025	At the junction with Mottram rd	RD: CW Pothole	Internal		Committed	50175833
Batch: 41218452 - Inspection Batch		Route: Ad hoc Route					Date: 11/02/2025	
42175713	Pothole on carriageway	11/02/2025	Outside 3	RD: CW Pothole	Internal		Committed	50174851
Batch: 41217914 - Inspection Batch		Route: Ad hoc Route					Date: 07/02/2025	
42175229	Pothole on carriageway	07/02/2025	From outside shops to Pennywell Gardens	RD: CW Pothole	Internal		Committed	50174493
Batch: 41217844 - Inspection Batch		Route: Ad hoc Route					Date: 06/02/2025	
42175186	Permanent repair required	06/02/2025	Junction West Granton Road	RD: CW Rutting	Internal		Uncommitted	50174455
Batch: 41217324 - Inspection Batch		Route: SfP_NorthWest					Date: 03/02/2025	
No actionable defects found								
Batch: 41216654 - Inspection Batch		Route: Ad hoc Route					Date: 29/01/2025	
42174254	Pothole on carriageway	29/01/2025	On roundabout junction Marine Drive	RD: CW Pothole	Internal		Committed	50173773
Batch: 41215008 - Inspection Batch		Route: Ad hoc Route					Date: 16/01/2025	
42173261	Pothole on carriageway	16/01/2025	Outside Ladbrokes	RD: CW Pothole	Internal		Committed	50173015
Batch: 41213245 - Inspection Batch		Route: NW_CW1_North1					Date: 08/01/2025	
42172366	2 number potholes	08/01/2025	Outside Muirhouse Medical Group	RD: CW Pothole	Internal		Committed	50172363
42172365	1 number pothole	08/01/2025	Outside North Edinburgh community centre	RD: CW Pothole	Internal		Committed	50172362
42172370	1 number pothole	08/01/2025	At junction of Muirhouse Avenue	RD: CW Pothole	Internal		Committed	50172366
Batch: 41212755 - Inspection Batch		Route: SfP_NorthWest					Date: 04/01/2025	
No actionable defects found								
Batch: 41212659 - Inspection Batch		Route: Ad hoc Route					Date: 31/12/2024	
42171974	Collapsed pole on middle footway	31/12/2024	Opposite pennywell gardens	RD: Unlit Sign Damaged/Missing	Internal		Committed	50172019
Please cut pole and remove this, and make the hole safe from trips.								
Cheers								
Batch: 41212325 - Inspection Batch		Route: NW_Pennywell_6Month					Date: 30/12/2024	
42171926	Please replace missing Toby cover	30/12/2024	Outside 63	RU: Utility Apparatus	Internal		Uncommitted	50171972
42171913	Patch required Approx 4m x 1m	30/12/2024	At entrance to craigroyston health centre	RD: CW Cracked/Broken	Internal		Uncommitted	50171963
42171919	1 fw pothole	30/12/2024	Outside craigroyston high school	RD: FW HRA Pothole	Internal		Committed	50171966
Batch: 41209544 - Inspection Batch		Route: SfP_NorthWest					Date: 04/12/2024	
42170378	1no missing bollard	04/12/2024	Outside pennywell youth project	RD: SFP Damaged Bollard	Internal		Committed	50170759
Batch: 41209040 - Inspection Batch		Route: Ad hoc Route					Date: 28/11/2024	
42170126	Please remove New Road layout sign and dispose of- cheers	28/11/2024	Pennywell Cottages	RD: Unlit Sign Damaged/Missing	Internal		Committed	50170565

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset:	1.00	Asset - Locn.: Ward 4 - Muirhouse Parkway to Ferry Road		Feature Type: Road Asset		Area: North West Locality		
Batch:	41208650 - Inspection Batch			Route: Ad hoc Route			Date: 26/11/2024	
42169874	Refresh zebra crossing markings	26/11/2024	Outside Pennywell shops	RD: Markings Refresh	Internal		Uncommitted	50170375
Batch:	41207707 - Inspection Batch			Route: SfP_NorthWest			Date: 14/11/2024	
42169136	1no missing bollard	14/11/2024	Outside 21	RD: SFP Damaged Bollard	Internal		Committed	50169797
42169139	1no missing bollard	14/11/2024	Approximately 10m north of Muirhouse Avenue	RD: SFP Damaged Bollard	Internal		Committed	50169798

Customer Services

Enquiry No.: 34010003	Logged by: [REDACTED]	on: 03/06/2025 11:38
Service: Roads General	Subject: Road Markings: Defective	Classification: Request for service
Desc.: Please inspect road markings faded "NO ENTRY" road markings, where the carriageway splits with a central grass reservation at junction with Ferry Road.		
Location: Pennywell Road	Contact: o	
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset
Enquiry No.: 34009459	Logged by: [REDACTED]	on: 30/12/2024 11:38
Service: Roads General	Subject: Traffic Sign:Defective/Damaged	Classification: Request for service
Desc.: Sign pole has been knocked over		
Location: Opposite pennywell gardens	Contact:	
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset
Job Number: 50172019	Defect Number: 42171974	
Enquiry No.: 34009400	Logged by: [REDACTED]	on: 05/12/2024 10:49
Service: Roads General	Subject: Road: Defective / Damaged	Classification: Request for service
Desc.: Pennywell Road, please inspect for large potholes.		
Location: Pennywell Road	Contact:	
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset
Enquiry No.: 31603593	Logged by: [REDACTED]	on: 29/05/2025 13:24
Service: Roads General	Subject: Road Markings: Defective	Classification: Request for service
Desc.: On the Pennywell Road dual carriageway where it meets Ferry Road, the keep left sign is facing the wrong way. The 'No Entry' road markings are also faded. Twice in recent weeks I've witnessed confused drivers turn into Pennywell Road on the wrong side of the dual carriageway, into the path of oncoming traffic.		
Location:	Contact:	
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset
Job Number: 50180749	Defect Number: 42184836	
Enquiry No.: 2031581	Logged by: Verint CRM Connector	on: 21/10/2025 21:27
Service: Roads General	Subject: Road: Defective / Damaged	Classification: Request for service
Desc.:		
Location: Various holes on the roundabout.	Contact:	
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 2029817 **Logged by:** Verint CRM Connector **on:** 17/10/2025 17:49
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:

Location: There has been extensive building and construction works nearby with a lot of heavy machinery and HGVs using this road which has resulted in the road being destroyed. This past year has destroyed the front and rear suspension and coils on my car as well as my tyres, wheels, and rear tank connecting exhaust too due to the constant shock levels from the potholes. I have been informed to request/claim some form of compensation here and have attached what I now need repaired (as well as the road). **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 2027773 **Logged by:** Verint CRM Connector **on:** 13/10/2025 20:10
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:

Location: Lots of holes on the roundabout at Muirhouse. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 2022540 **Logged by:** Verint CRM Connector **on:** 02/10/2025 12:07
Service: Roads General **Subject:** Pavement: Damaged / Defective **Classification:** Request for service
Desc.:

Location: The paving in Macmillan Square, Pennywell Road, is extremely hazardous. Slabs appear safe but move under one's weight. Some are not lying flat with the edges presenting a trip hazard. I've just escorted a [REDACTED] with mobility issues. I feared [REDACTED] fall before we reached the dentist. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 2017744 **Logged by:** Verint CRM Connector **on:** 22/09/2025 17:41
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:

Location: I would like to report the extremely poor condition of Pennywell road . The road has numerous potholes that make it very difficult and unsafe to drive on. Vehicles are forced to swerve constantly, which increases the risk of accidents. I kindly request that the street be inspected and repaired as soon as possible to ensure safe circulation for all drivers. Thank you for your attention. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 2011802 **Logged by:** Verint CRM Connector **on:** 10/09/2025 09:21
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:

Location: Potholes all along pennywell road. Literally too many to mark on the map. The whole thing needs ripping up and replaying. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 2011272 **Logged by:** Verint CRM Connector **on:** 09/09/2025 10:30
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:

Location: The whole of Pennywell Road is needing serious attention!!! You need to really get people out to sort this whole stretch of road from top to bottom. The potholes, uneven road surface is causing serious damage to cars. I use this road daily and it's nothing but a nightmare. If this doesn't get sorted I'm going to start keeping receipts and billing the council with the damage to my car I've had due to this road. It's ridiculous.

Contact:

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 2008107 **Logged by:** Verint CRM Connector **on:** 03/09/2025 08:45
Service: Roads General **Subject:** RO: Drop Crossing Request **Classification:** Request for service
Desc.: Description: Outside 50 Pennywell Road Service Road. This is on east side of the service road.

Reason: This would allow users with mobility issues to cross the service road where they can proceed towards a pedestrian crossing which is located on Pennywell Road.

Location: Outside 50 Pennywell Road Service Road. This is on east side of the service road. **Contact:**

Enquiry No.: 2006810 **Logged by:** Verint CRM Connector **on:** 01/09/2025 09:42
Service: Roads General **Subject:** RO: Drop Crossing Request **Classification:** Request for service
Desc.: Description: The location for the request is on the west side of Pennywell Road - Service Road which is directly opposite number 51. There is a utility box right next to it (please see photo attached)

Reason: A community walkabout took place recently and this was identified as an issue as residents with mobility issues are not able to use the path which leads to the pedestrian crossing located on Pennywell Road.

Location: The location for the request is on the west side of Pennywell Road - Service Road which is directly opposite number 51. There is a utility box right next to it (please see photo attached) **Contact:**

Enquiry No.: 2006796 **Logged by:** [REDACTED] **on:** 01/09/2025 09:14
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.: There was a community walkabout which took place last week and several potholes were identified on Pennywell Road. Can someone please inspect the road and repair the potholes.

Location: between Muirhouse Ave and Pennywell Gardens **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50184343 **Defect Number:** 42189364

Enquiry No.: 2002968 **Logged by:** Verint CRM Connector **on:** 25/08/2025 16:05
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:

Location: just wondering if there is any way you can get someone to come out and cut back the trees that hang over the cycle path as you come down Pennywell Road about here <https://maps.app.goo.gl/LizfezDW8fKF3tJs7> **Contact:**

If you are cycling down the road on the painted path, they smack you in the face. The road surface down there is so bad you need to watch the potholes and then the trees come as a wee bit of a shock

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 2002958 **Logged by:** Verint CRM Connector **on:** 25/08/2025 15:50
Service: Roads General **Subject:** Trees & Foliage: Defect **Classification:** Request for service
Desc.: Problem: Obscuring sight line.
Location: Cycleway.
Type: Foliage / Bush
Location: Trees are overhanging the cycle path and smack you in the face if you cycle in the path **Contact:**

Enquiry No.: 1998528 **Logged by:** Verint CRM Connector **on:** 18/08/2025 11:52
Service: Roads General **Subject:** Pavement: Damaged / Defective **Classification:** Request for service
Desc.:
Location: When looking at the bus stop, the pavement on the right side is crumbling away and becoming a hole / trip hazard. This is causing difficulties for people using walking aids with wheels as they are getting caught in the hole when trying to reach the bus stop, or having to go close to pavement edge to get past it. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset
Job Number: 50183851 **Defect Number:** 42188728

Enquiry No.: 1984946 **Logged by:** Verint CRM Connector **on:** 25/07/2025 00:27
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Dropped kerb missing where cycle path meets road **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1976852 **Logged by:** Verint CRM Connector **on:** 11/07/2025 17:22
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: From the junction with Mottram Road down to the junction with Pennywell Gardens there are multiple potholes, they are big enough to damage cars **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset
Job Number: 50182608 **Defect Number:** 42186944

Enquiry No.: 1962500 **Logged by:** Verint CRM Connector **on:** 12/06/2025 16:18
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Outside 5 Muirhouse parkway
Cycle lane on Muirhouse parkway has lots of pot holes **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1960747 **Logged by:** Verint CRM Connector **on:** 09/06/2025 15:26
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Large potholes and generally poor road surface. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset
Job Number: 50181192 **Defect Number:** 42185387

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1956806 Service: Roads General Desc.: Location: Massive pothole sunk cross track	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 01/06/2025 14:57 Classification: Request for service	Contact:
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset	
Enquiry No.: 1954588 Service: Roads General Desc.: Location: Outside Ladbrokes open drain. My [REDACTED] tripped over the hole and has hurt [REDACTED] This has been there for a while.	Logged by: Verint CRM Connector Subject: Pavement: Damaged / Defective	on: 28/05/2025 10:38 Classification: Request for service	Contact:
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset	
Job Number: 50180561	Defect Number: 42184606		
Enquiry No.: 1952749 Service: Roads General Desc.: Location: exactly on the junction there is very deep & wide pothole making right turn from Pennywell Road into Ferry Road extremely difficult and not safe for the car suspension & wheels, there is no option to omit, it has to be filled/fixed asap	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 24/05/2025 10:21 Classification: Request for service	Contact:
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset	
Job Number: 50180330	Defect Number: 42184188		
Enquiry No.: 1948653 Service: Roads General Desc.: Location: Massive pothole, appears to be damaged road surface from buses possibly. Couple of inches deep, 3 or 4 feet wide.	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 15/05/2025 17:57 Classification: Request for service	Contact:
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset	
Enquiry No.: 1944083 Service: Roads General Desc.: Location: on the main road - Pennywell road - near 14 GRANTON MILL PARK, EDINBURGH, EH4 4UU - there's a dip - looks like a pipe has been laid but the dip is quite bad that it's actually a pothole.	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 06/05/2025 15:41 Classification: Request for service	Contact:
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset	

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1943465 Logged by: Verint CRM Connector on: 05/05/2025 14:22
Service: Roads General Subject: Pavement: Damaged / Defective Classification: Request for service
Desc.:

Location: I was on way to my GP on Tuesday 14:45 I got off the number 37 and i didn't see where I put my foot, i put it in a hole where a old bus stop sign had previously been! Contact:

I went in to doctors could barely walk, got ibuprofen gel the next day it was swollen up and more sore, I'd appreciate if something was done that could have been an elder or child! The way I fell was towards the bus wheel.

Look forward to hearing back from yous

Plot Number: 1.00 Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road Feature Type: Road Asset
Job Number: 50179551 Defect Number: 42182888

Enquiry No.: 1943427 Logged by: Verint CRM Connector on: 05/05/2025 13:36
Service: Roads General Subject: Road: Defective / Damaged Classification: Request for service
Desc.:

Location: From: [REDACTED] Contact:
Date: Friday, May 2, 2025 at 1:15:07 PM
To: customer.care@edinburgh.gov.uk <customer.care@edinburgh.gov.uk>
Subject: Road repair/resurface EH4

Dear City of Edinburgh Council,

I am writing to raise serious concerns regarding the condition of Pennywell Road. The road surface has significantly deteriorated, with numerous deep potholes and areas of uneven tarmac that make it extremely difficult—and at times dangerous—to drive along.

It is currently impossible to travel down Pennywell Road without having to swerve around potholes every few seconds. This not only poses a risk to drivers, pedestrians, and cyclists, but is also causing damage to vehicles. The state of the road has been neglected for far too long, and it is unacceptable for a main route within the city to be left in such poor condition.

I urge the Council to prioritise repairs and resurfacing on Pennywell Road as soon as possible. Regular maintenance and timely responses to such issues are essential to ensure the safety of all road users and to prevent further costs and inconvenience to the public.

I would appreciate confirmation that this matter is being looked into, along with a proposed timeline for repairs.

Yours sincerely,
[REDACTED]

Plot Number: 1.00 Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road Feature Type: Road Asset
Job Number: 50179550 Defect Number: 42182887

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1939481 **Logged by:** Verint CRM Connector **on:** 27/04/2025 21:01
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: The whole lower 1/3rd of Pennywell Road is poorly surfaced and a sad experience **Contact:**
for any tourist traveling on the Airport bus.
There is also a pothole near the airport as you leave near the carpark and others
of course. It's been like this for months.

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1939351 **Logged by:** Verint CRM Connector **on:** 27/04/2025 15:20
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Massive pothole at pedestrian crossing on the road **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1937293 **Logged by:** Verint CRM Connector **on:** 23/04/2025 09:17
Service: Roads General **Subject:** Pavement: Damaged / Defective **Classification:** Request for service
Desc.:
Location: The whole shopping centre paving is an absolute disgrace and a danger to everyone **Contact:**
especially the infirm but locals know this yesterday I went to the chemist walked on a
grate it popped up and I ended up face first into a wall

Enquiry No.: 1936051 **Logged by:** Verint CRM Connector **on:** 20/04/2025 14:36
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: The whole road outside Greggs, is the worst road I have driven in Edinburgh. What **Contact:**
about you surface the whole road , instead of patching up.
The Lord Advocate maybe able to drive his luxury BMW on that road but my car
can't . It feels like driving on a Barcode

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1933788 **Logged by:** [REDACTED] **on:** 15/04/2025 10:11
Service: Roads General **Subject:** Covers: Damaged / Defective **Classification:** Request for service
Desc.: outside number [REDACTED] in the middle of the grass and trees which is [REDACTED] was walking [REDACTED] dog [REDACTED] stepped in the grass and there was a manhole cover whcih is missing and [REDACTED] fell through up to [REDACTED] knee [REDACTED] is worried for anyone else getting hurt
Location: outside number [REDACTED] in the middle of the grass and trees which is [REDACTED] was walking [REDACTED] dog [REDACTED] stepped in the grass and there was a manhole cover whcih is missing and [REDACTED] fell through up to [REDACTED] knee [REDACTED] is worried for anyone else getting hurt **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50178612 **Defect Number:** 42181448

Enquiry No.: 1929503 **Logged by:** Verint CRM Connector **on:** 06/04/2025 21:05
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Pot hole on the south bound carriage way at the crossing **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50178333 **Defect Number:** 42180980

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1925648 Service: Roads General Desc.: Location: Absolutely the worst road ive had to drive on	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 30/03/2025 07:39 Classification: Request for service Contact:
Plot Number: 1.00 Job Number: 50178166	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road Defect Number: 42180675	Feature Type: Road Asset
Enquiry No.: 1924689 Service: Roads General Desc.: Location: Pothole on the roundabout from Muirhouse Parkway heading to West Granton Road. West to east. The other roads Marine Drive and Pennywell Road, north to south, exit to the same roundabout.	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 27/03/2025 17:48 Classification: Request for service Contact:
Plot Number: 1.00 Job Number: 50178165	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road Defect Number: 42180674	Feature Type: Road Asset
Enquiry No.: 1919380 Service: Roads General Desc.: Location: Dropped curb on Pennywell Road outside Craigroyston High School. Local resident demonstrated how <input type="checkbox"/> could not safely cross the road here because the dropped curb is too high. Unsuitable for those using walking-aids or with buggies. Can this be lowered?	Logged by: Verint CRM Connector Subject: Pavement: Damaged / Defective	on: 17/03/2025 15:28 Classification: Request for service Contact:
Enquiry No.: 1919335 Service: Roads General Desc.: Location: Pavement potholes Pennywell Road, outside Craigroyston High School.	Logged by: Verint CRM Connector Subject: Pavement: Damaged / Defective	on: 17/03/2025 14:33 Classification: Request for service Contact:
Enquiry No.: 1915099 Service: Roads General Desc.: Location: A few holes on the roundabout.	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 08/03/2025 14:19 Classification: Request for service Contact:
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset
Enquiry No.: 1904404 Service: Roads General Desc.: Location: large pothole	Logged by: Verint CRM Connector Subject: Road: Defective / Damaged	on: 16/02/2025 17:15 Classification: Request for service Contact:
Plot Number: 1.00	Feature Id - Location: Ward 4 - Muirhouse Parkway to Ferry Road	Feature Type: Road Asset

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1899370 **Logged by:** Verint CRM Connector **on:** 05/02/2025 19:46
Service: Roads General **Subject:** Pavement: Damaged / Defective **Classification:** Request for service
Desc.:
Location: Muirhouse avenue bus stop on Pennywell road. Flagpole insecure ■■■ **Contact:**
PENNYWELL ROAD, EDINBURGH, EH4 4HD

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1898654 **Logged by:** Verint CRM Connector **on:** 04/02/2025 17:07
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: A few holes on the roundabout. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1898652 **Logged by:** Verint CRM Connector **on:** 04/02/2025 17:07
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: A few holes on the roundabout. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50174455 **Defect Number:** 42175186

Enquiry No.: 1893143 **Logged by:** Verint CRM Connector **on:** 27/01/2025 09:54
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: pothole on north side of the roundabout **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50173773 **Defect Number:** 42174254

Enquiry No.: 1888061 **Logged by:** Verint CRM Connector **on:** 17/01/2025 07:52
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: The road surface between Ferry road and West Granton road is in a shocking state **Contact:**
posing a threat to all road users and damage to cars.
It is clear to everyone the clowncil have given up on maintaining the roads but are
still happy to raise mass amounts of revenue from car drivers many of whom are
now out of pocket from major car repairs.

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1887568 **Logged by:** Verint CRM Connector **on:** 16/01/2025 10:24
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: large pothole opposite ladbrokes on Pennywell Road just at school zone about 10 **Contact:**
mins before calling Clarence

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50173015 **Defect Number:** 42173261

Site History Report

Effective: 28/10/2024 to 28/10/2025
Service: Roads General
Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1879568 **Logged by:** Verint CRM Connector **on:** 04/01/2025 15:04
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: A few pot holes along this route **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1876002 **Logged by:** Verint CRM Connector **on:** 28/12/2024 14:18
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: The majority of Pennywell Road but particularly northbound near the shops. This road has been recognised as awful for quite some time, but is now approaching undrivable status. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1863657 **Logged by:** Verint CRM Connector **on:** 26/11/2024 12:36
Service: Roads General **Subject:** Traffic Sign:Defective/Damaged **Classification:** Request for service
Desc.: What type of sign is it? Road sign problem, type unlit
Location: remove sign **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50170565 **Defect Number:** 42170126
Enquiry No.: 1863556 **Logged by:** [REDACTED] **on:** 26/11/2024 10:25
Service: Roads General **Subject:** Road Safety: General Enquiry **Classification:** General Enquiry
Desc.: suggestion of installation of double pedestrian crossing with traffic lights and an island in the middle to assist with the blind and partially-sight with audio signals and rotating cones
Location: pennywell road @muirhouse shopping centre **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Enquiry No.: 1863548 **Logged by:** [REDACTED] **on:** 26/11/2024 10:17
Service: Roads General **Subject:** Road Markings: Defective **Classification:** Request for service
Desc.: pelican crossing (double) lines need to be re-done and not ideal for blind or partially-sighted people - belisha beacons not bright enough
Location: pennywell road @ Muirhouse Shopping centre **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 4 - Muirhouse Parkway to Ferry Road **Feature Type:** Road Asset

Job Number: 50170375 **Defect Number:** 42169874

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 1.00	Asset - Locn.: Ward 4 - Muirhouse Parkway to Ferry Road		Feature Type: Road Asset		Area: North West Locality	
50152797	Refresh give way markings (RD: Markings Refresh)	At junction with ferry road	RD: Cat 4 - Programmed	Job Complete	13/02/2024	11/07/2025	Act. ROAD/82107461
50168270	1no missing bollard (RD: SFP Damaged Bollard)	Opposite Cornfield crescent	RD: Cat 3 - 60 Day	Job Complete	18/10/2024	28/10/2024	Act. ROAD/82097424
50168271	2no missing bollards (RD: SFP Damaged Bollard)	Outside Ferrywell youth project	RD: Cat 3 - 60 Day	Job Complete	18/10/2024	28/10/2024	Act. ROAD/82097425
50169797	1no missing bollard (RD: SFP Damaged Bollard)	Outside 21	RD: Cat 3 - 60 Day	Job Complete	14/11/2024	18/11/2024	Act. ROAD/82098438
50169798	1no missing bollard (RD: SFP Damaged Bollard)	Approximately 10m north of Muirhouse Avenue	RD: Cat 3 - 60 Day	Job Complete	14/11/2024	18/11/2024	Act. ROAD/82098439

Site History Report

Effective: 28/10/2024 to 28/10/2025
 Service: Roads General
 Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
 Display Action Officer: No

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Asset: 1.00		Asset - Locn.: Ward 4 - Muirhouse Parkway to Ferry Road		Feature Type: Road Asset		Area: North West Locality	
50170565	Please remove New Road layout sign and dispose of- cheers (RD: Unlit Sign Damaged/Missing)	Pennywell Cottages	RD: Cat 3 - 60 Day	Job Complete	28/11/2024	01/12/2024	Act. ROAD/82098949
50170759	1no missing bollard (RD: SFP Damaged Bollard)	Outside pennywell youth project	RD: Cat 3 - 60 Day	Job Complete	04/12/2024	04/12/2024	Act. ROAD/82099085
50171966	1 fw pothole (RD: FW HRA Pothole)	Outside craigroyston high school	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	30/12/2024	30/12/2024	Act. ROAD/82100035
50172019	Collapsed pole on middle footway	Opposite pennywell gardens	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	31/12/2024	05/01/2025	Act. ROAD/82100069
	Please cut pole and remove this, and make the hole safe from trips.						
	Cheers (RD: Unlit Sign Damaged/Missing)						
50172362	1 number pothole (RD: CW Pothole)	Outside North Edinburgh community centre	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	08/01/2025	13/01/2025	Act. ROAD/82100358
50172363	2 number potholes (RD: CW Pothole)	Outside Muirhouse Medical Group	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	08/01/2025	13/01/2025	Act. ROAD/82100359
50172366	1 number pothole (RD: CW Pothole)	At junction of Muirhouse Avenue	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	08/01/2025	09/01/2025	Act. ROAD/82100361
50173015	Pothole on carriageway (RD: CW Pothole)	Outside Ladbrokes	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	16/01/2025	17/01/2025	Act. ROAD/82100876
50173773	Pothole on carriageway (RD: CW Pothole)	On roundabout junction Marine Drive	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	29/01/2025	31/01/2025	Act. ROAD/82101406
50174493	Pothole on carriageway (RD: CW Pothole)	From outside shops to Pennywell Gardens	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	07/02/2025	10/02/2025	Act. ROAD/82101985
50174851	Pothole on carriageway (RD: CW Pothole)	Outside 3	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	11/02/2025	12/02/2025	Act. ROAD/82102256
50175833	4no potholes (RD: CW Pothole)	At the junction with Mottram rd	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	25/02/2025	27/02/2025	Act. ROAD/82103126
50177359	1no missing bollard (RD: SFP Damaged Bollard)	At West Pilton crescent	RD: Cat 3 - 60 Day	Job Complete	20/03/2025	21/03/2025	Act. ROAD/82104303
50178165	Pothole on carriageway (RD: CW Pothole)	Junction Marine Drive	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	04/04/2025	06/04/2025	Act. ROAD/82104849
50178166	Pothole on carriageway (RD: CW Pothole)	Heading south from roundabout	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	04/04/2025	06/04/2025	Act. ROAD/82104850
50178333	Permanent repair required (RD: CW Rutting)	Outside 82	RD: Cat 3 - 60 Day	Job Complete	09/04/2025	26/06/2025	Act. ROAD/82104963
50178497	Repair damaged ra (RD: Railing Damage/Missing/New)	Junction Northlawn Court	RD: Cat 3 - 60 Day	Job Complete	14/04/2025	06/05/2025	Act. ROAD/82105070
50178611	Damaged bollard (RD: Bollard Damage/Missing/New)	Outside 13	RD: Cat 3 - 60 Day	Job Complete	15/04/2025	16/04/2025	Act. ROAD/82105142
50178612	Hole on verge (RD: FW HRA Pothole)	Opposite 19	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	15/04/2025	16/04/2025	Act. ROAD/82105143

Site History Report

Effective: 28/10/2024 to 28/10/2025
 Service: Roads General
 Site: Pennywell Road (7901490)

Asset Number: 1.00 to 1.00
 Display Action Officer: No

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 1.00	Asset - Locn.: Ward 4 - Muirhouse Parkway to Ferry Road		Feature Type: Road Asset		Area: North West Locality	
50179082	2no missing bollards (RD: SFP Damaged Bollard)	Outside Ferrywell Youth Project	RD: Cat 3 - 60 Day	Job Complete	25/04/2025	29/04/2025	Act. ROAD/82105431
50179085	2no missing bollards (RD: SFP Damaged Bollard)	Approx 10m north of Muirhouse Avenue	RD: Cat 3 - 60 Day	Job Complete	25/04/2025	29/04/2025	Act. ROAD/82105434
50179550	Pothole on carriageway (RD: CW Pothole)	Junction Muirhouse Avenue	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	06/05/2025	08/05/2025	Act. ROAD/82105773
50179551	Pothole on footway (RD: FW HRA Pothole)	Bus stop outside 24	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	06/05/2025	08/05/2025	Act. ROAD/82105774
50180330	Pothole on carriageway (RD: CW Pothole)	Pennywell Road junction Ferry Road	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	26/05/2025	26/05/2025	Act. ROAD/82106326
50180425	1no missing bollard (RD: SFP Damaged Bollard)	Outside 21	RD: Cat 3 - 60 Day	Job Complete	27/05/2025	30/05/2025	Act. ROAD/82106371
50180638	Permanent repair required (RD: CW Rutting)	Heading north at zebra crossing outside shops at bus stop	RD: Cat 3 - 60 Day	Job Complete	29/05/2025	26/06/2025	Act. ROAD/82106520
50180749	please turn speed limit sign so it faces 30mph for traffic approaching the Ferry Road Junction, and if you can give it a clean as well - cheers (RD: Unlit Sign Damaged/Missing)	Pennywell Road, at junction with Ferry Road	RD: Cat 3 - 60 Day	Job Complete	03/06/2025	24/06/2025	Act. ROAD/82106593
50181192	Pothole on carriageway (RD: CW Pothole)	Outside 32,31	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	10/06/2025	11/06/2025	Act. ROAD/82106843
50182140	1 cw pothole at crossing (RD: CW Pothole)	At entrance to craigroyston health centre	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	30/06/2025	01/07/2025	Act. ROAD/82107416
50182606	Pothole on carriageway (RD: CW Pothole)	Zebra crossing west side	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	14/07/2025	15/07/2025	Act. ROAD/82107753
50182607	Pothole on carriageway (RD: CW Pothole)	Outside 35,	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	14/07/2025	15/07/2025	Act. ROAD/82107754
50182608	Pothole on carriageway (RD: CW Pothole)	Main carriageway outside 46,40,post 16	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	14/07/2025	15/07/2025	Act. ROAD/82107755
50184343	Pothole on carriageway (RD: CW Pothole)	Outside 53,46,40,28,37	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	02/09/2025	02/09/2025	Act. ROAD/82108768
50184695	Missing and loose bollards (RD: Bollard Damage/Missing/New)	Junction Muirhouse Avenue	RD: Cat 3 - 60 Day	Job Complete	10/09/2025	16/09/2025	Act. ROAD/82109003
50185168	1 missing sfp bollard (RD: SFP Damaged Bollard)	At west pilton crescent	RD: Cat 3 - 60 Day	Job Complete	06/10/2025	14/10/2025	Act. ROAD/82109370