

Site History Report

Effective: 01/09/2020 to 24/12/2025
Service: Roads General
Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Site: Guthrie Street (7901836)

Locality: Old Town, Edinburgh, City of Edinburgh

Area: South East Locality

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset:	1.00	Asset - Locn.:	Ward 11 -From Cowgate to Chambers Street	Feature Type:	Road Asset		Area:	South East Locality
Batch:	41238498 - Inspection Batch		Route:	SE_CF2_Greyfriars1			Date:	11/10/2025
42191024	3no 600x900 pcc slabs 1no 600x750 pcc slab	11/10/2025	Outside no18	RD: FW Slabs Broken/Missing	Internal		Uncommitted	50142363
42191017	Patching required 0.5x10m and 2x2.5m	11/10/2025	Outside no 13	RD: CW Cracked/Broken	Internal		Action Required	
42191023	Rocking slab	11/10/2025	5m west of door no 21	RD: FW Slabs Rocking	Internal		Action Required	
42191026	Cw patch approx 5m x 4m	11/10/2025	At junction with cowgate	RD: CW Cracked/Broken	Internal		Uncommitted	50185490
42191020	Approx 8no Broken rocking slabs Area of broken grano approx 1m x 0.2m Remove slabs and infill with cold tar	11/10/2025	On corner opposite no31	RD: FW Slabs Broken/Missing	Internal		Committed	50185486
42191019	2no cracked fantailed 450 x450 pcc grey flags 1no rocking fantailed 450 x450 pcc grey flag	11/10/2025	On the corner opposite no31	RD: FW Slabs Broken/Missing	Internal		Action Required	
42191018	2no Cw potholes	11/10/2025	Outside wee spoke hub bike shop	RD: CW Pothole	Internal		Committed	50185485
42191021	Give way road markings need refreshed	11/10/2025	At junction with chambers street	RD: Markings Refresh	Internal		Uncommitted	50185487
42191025	Give way road markings need refreshed	11/10/2025	At junction with cowgate	RD: Markings Refresh	Internal		Uncommitted	50185489
42191022	3 x Bollards missing	11/10/2025	Opposite no 31	RD: Bollard Damage/Missing/Nev	Internal		Uncommitted	50185488
Batch:	41233887 - Inspection Batch		Route:	Ad hoc Route			Date:	30/07/2025
42187859	1no broken 600x600 pcc flag	30/07/2025	Opposite Kincaids Court	RD: FW Slabs Broken/Missing	Internal		Committed	50183210
Batch:	41225915 - Inspection Batch		Route:	Ad hoc Route			Date:	14/04/2025
42181227	1no Cw pothole	14/04/2025	Outside wee spoke hub bicycle shop	RD: CW Pothole	Internal		Committed	50178514
Batch:	41201542 - Inspection Batch		Route:	Ad hoc Route			Date:	27/09/2024
42165517	Broken Scottish water cover on fw photos attached	27/09/2024	Guthrie Street. OPP 13 Cycle shop	RU: Utility Apparatus	Internal		Uncommitted	50167127
Batch:	41199938 - Inspection Batch		Route:	SE_CF2_Greyfriars1			Date:	04/09/2024
42164562	3no 600x900 pcc slabs 1no 600x750 pcc slab	04/09/2024	Outside no18	RD: FW Slabs Broken/Missing	Internal		No Action Required	
42164563	2no cracked 600 x600 pcc grey flags 1no cracked cut 900 x600 pcc grey flag	04/09/2024	Just north of kincaids court	RD: FW Slabs Broken/Missing	Internal		Action Required	
42164561	1no box cover 500mm x 500mm has been broken and missing on FW not sure who is responsible but needs renewed	04/09/2024	Opposite wee spoke hub shop No 13	RU: Utility Apparatus	Internal		Uncommitted	50166112
42164558	3 x Bollards missing	04/09/2024	Opposite no 31	RD: Bollard Damage/Missing/Nev	Internal		No Action Required	
42164559	2no cracked fantailed 450 x450 pcc grey flags 1no rocking fantailed 450 x450 pcc grey flag	04/09/2024	On the corner opposite no31	RD: FW Slabs Broken/Missing	Internal		No Action Required	
Batch:	41199221 - Inspection Batch		Route:	Ad hoc Route			Date:	22/08/2024
42163950	Collapsed Scottish Water manhole	22/08/2024	On the footway opposite no15	RU: Utility Apparatus	Internal		Uncommitted	50165619

Site History Report

Effective: 01/09/2020 to 24/12/2025
Service: Roads General
Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset:	1.00	Asset - Locn.: Ward 11 -From Cowgate to Chambers Street		Feature Type: Road Asset		Area: South East Locality		
Batch: 41190918 - Inspection Batch				Route: Ad hoc Route		Date: 01/05/2024		
42156197	1no pothole	01/05/2024	Outside no27	RD: CW Pothole	Internal		Committed	50159611
Batch: 41183960 - Inspection Batch				Route: Ad hoc Route		Date: 27/02/2024		
42149286	5no potholes	27/02/2024	On the bend outside no31-33	RD: CW Pothole	Internal		Committed	50154221
Batch: 41183958 - Inspection Batch				Route: Ad hoc Route		Date: 27/02/2024		
42149285	5no potholes	27/02/2024	Outside no24	RD: CW Pothole	Internal		Committed	50154220
Batch: 41178057 - Inspection Batch				Route: Ad hoc Route		Date: 10/01/2024		
42143642	2no potholes	10/01/2024	Outside no31	RD: CW Pothole	Internal		Committed	50149808
Batch: 41172658 - Inspection Batch				Route: Ad hoc Route		Date: 23/11/2023		
42140340	2no potholes	23/11/2023	At the corner opposite no24	RD: CW Pothole	Internal		Committed	50146498
Batch: 41164498 - Inspection Batch				Route: SE_CF2_Greyfriars1		Date: 11/09/2023		
42135833	1no cracked 900 x600 pcc grey flag	11/09/2023	Outside no18	RD: FW Slabs Broken/Missing	Internal		Uncommitted	50142362
42135834	3no 600x900 pcc slabs	11/09/2023	Outside no18	RD: FW Slabs Broken/Missing	Internal		No Action Required	
	1no 600x750 pcc slab							
42135828	3 x Bollards missing	11/09/2023	Opposite no 31	RD: Bollard Damage/Missing/Nev	Internal		No Action Required	
42135831	Patching required 0.5x10m and 2x2.5m	11/09/2023	Outside no 13	RD: CW Cracked/Broken	Internal		No Action Required	
42135835	Low track approx 0.5x6m	11/09/2023	@ Kincaids court	RD: CW Cracked/Broken	Internal		Uncommitted	50115997
42135829	2no cracked fantailed 450 x450 pcc grey flags	11/09/2023	On the corner opposite no31	RD: FW Slabs Broken/Missing	Internal		No Action Required	
	1no rocking fantailed 450 x450 pcc grey flag							
42135832	1no cracked 900 x600 pcc grey flag	11/09/2023	Outside no18	RD: FW Slabs Broken/Missing	Internal		No Action Required	
42135830	Rocking slab	11/09/2023	5m west of door no 21	RD: FW Slabs Rocking	Internal		No Action Required	
42135836	2no cracked 600 x600 pcc grey flags	11/09/2023	Just north of kincaids court	RD: FW Slabs Broken/Missing	Internal		No Action Required	
	1no cracked cut 900 x600 pcc grey flag							
Batch: 41164414 - Inspection Batch				Route: Ad hoc Route		Date: 07/09/2023		
42135768	1 number pothole	07/09/2023	Opposite number 24	RD: CW Pothole	Internal		Committed	50142301
Batch: 41150092 - Inspection Batch				Route: Ad hoc Route		Date: 22/02/2023		
42119645	1 number pothole	22/02/2023	Outside of Kincaid,s Court	RD: CW Pothole	Internal		Committed	50129986
Batch: 41149781 - Inspection Batch				Route: Ad hoc Route		Date: 20/02/2023		
42119294	2 x grano pothole on footway	20/02/2023	Opposition number 31	RD: FW Grano Pothole	Internal		Committed	50129745
Batch: 41142563 - Inspection Batch				Route: Ad hoc Route		Date: 06/01/2023		
42114389	3no potholes	06/01/2023	Outside no24	RD: CW Pothole	Internal		Committed	50125551
Batch: 41126662 - Inspection Batch				Route: SE_CF2_Greyfriars1		Date: 30/06/2022		
42104167	Low track approx 0.5x6m	30/06/2022	@ Kincaids court	RD: CW Cracked/Broken	Internal		No Action Required	
42104168	2no cracked 600 x600 pcc grey flags	30/06/2022	Just north of kincaids court	RD: FW Slabs Broken/Missing	Internal		No Action Required	
	1no cracked cut 900 x600 pcc grey flag							
42104170	Patching required 0.5x10m and 2x2.5m	30/06/2022	Outside no 13	RD: CW Cracked/Broken	Internal		No Action Required	
42104169	1no cracked 900 x600 pcc grey flag	30/06/2022	Outside no18	RD: FW Slabs Broken/Missing	Internal		No Action Required	

Site History Report

Effective: 01/09/2020 to 24/12/2025
Service: Roads General
Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Condition Survey

Defect No:	Description	Log Date	Location	Defect Type	Class.	Organisation	Status	Job No.
Asset:	1.00	Asset - Locn.: Ward 11 -From Cowgate to Chambers Street		Feature Type: Road Asset		Area: South East Locality		
Batch: 41126662 - Inspection Batch		Route: SE_CF2_Greyfriars1				Date: 30/06/2022		
42104171	Rocking slab	30/06/2022	5m west of door no 21	RD: FW Slabs Rocking	Internal		No Action Required	
42104172	2no cracked fantailed 450 x450 pcc grey flags 1no rocking fantailed 450 x450 pcc grey flag	30/06/2022	On the corner opposite no31	RD: FW Slabs Broken/Missing	Internal		No Action Required	
Batch: 41118055 - Inspection Batch		Route: Ad hoc Route				Date: 03/03/2022		
42094782	1no pothole	03/03/2022	Outside no13	RD: CW Pothole	Internal		Committed	50108031
Batch: 41094899 - Inspection Batch		Route: SE_CF2_Greyfriars1				Date: 25/06/2021		
42071806	Potholes x 2	25/06/2021	3m and 8m south of no 35	RD: CW Pothole	Internal		Committed	50085877
42071810	2 Broken 900 x 600 slabs 1 x 750 x 600 and 2 600 x 600 need renewed and 2 x rocking slabs need reset (some cuts and small grano repair)	25/06/2021	15m to 20m south of Cowgate (east footway)	RD: FW Slabs Broken/Missing	Internal		Committed	50085880
42071823	3 x Bollards missing	25/06/2021	Opposite no 31	RD: Bollard Damage/Missing/Nev	Internal		No Action Required	
42071819	1no cracked 600 x600 pcc grey flag 2no cracked cut 900 x600 pcc grey flags	25/06/2021	Opposite no21	RD: FW Slabs Broken/Missing	Internal		Uncommitted	50085930
42071818	Broken cut slab please renew	25/06/2021	Opp no 19/21	RD: FW Slabs Broken/Missing	Internal		Committed	50085883
42071808	5no cracked fantailed 900 x600 pcc grey flags 4no cracked fantailed 600 x600 pcc grey flags	25/06/2021	Outside no35	RD: FW Slabs Broken/Missing	Internal		Uncommitted	50085928
42071815	Patching required 0.5x10m and 2x2.5m	25/06/2021	Outside no 13	RD: CW Cracked/Broken	Internal		No Action Required	
42071807	Pothole	25/06/2021	Opp no 31	RD: CW Pothole	Internal		Committed	50085878
42071820	1no cracked 900 x600 pcc grey flag 2no cracked 600 x600 pcc grey flags 1no cracked small cut flag	25/06/2021	Outside no27	RD: FW Slabs Broken/Missing	Internal		Uncommitted	50085931
42071814	1no cracked 900 x600 pcc grey flag	25/06/2021	Outside no18	RD: FW Slabs Broken/Missing	Internal		No Action Required	
42071811	2no cracked 600 x600 pcc grey flags 1no cracked cut 900 x600 pcc grey flag	25/06/2021	Just north of kincaids court	RD: FW Slabs Broken/Missing	Internal		No Action Required	
42071812	Low track approx 0.5x6m	25/06/2021	@ Kincaids court	RD: CW Cracked/Broken	Internal		No Action Required	
42071813	6no cracked 600 x600 pcc grey flags 6no cracked 900 x600 pcc grey flag 2no cracked cut 600 x300 pcc grey flag 1no cracked 600x750 pcc grey flag	25/06/2021	Opposite kincaids court next to centurion access chamber	RD: FW Slabs Broken/Missing	Internal		Uncommitted	50085929
42071821	2no cracked fantailed 450 x450 pcc grey flags 1no rocking fantailed 450 x450 pcc grey flag	25/06/2021	On the corner opposite no31	RD: FW Slabs Broken/Missing	Internal		No Action Required	
42071809	Rocking slab	25/06/2021	5m west of door no 21	RD: FW Slabs Rocking	Internal		No Action Required	
Batch: 41093009 - Inspection Batch		Route: Ad hoc Route				Date: 26/05/2021		
42069617	2no potholes	26/05/2021	Outside no24	RD: CW Pothole	Internal		Committed	50083857

Site History Report

Effective: 01/09/2020 to 24/12/2025
Service: Roads General
Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1984864
Service: Roads General
Desc.:
Location: oblong hole in the road

Logged by: Verint CRM Connector
Subject: Road: Defective / Damaged

on: 24/07/2025 19:52
Classification: Request for service

Contact:

Plot Number: 1.00
Feature Id - Location: Ward 11 -From Cowgate to Chambers Street
Feature Type: Road Asset

Enquiry No.: 1933645
Service: Roads General
Desc.:
Location: Pothole on 90degree 1st corner coming from Cowgate.

Logged by: Verint CRM Connector
Subject: Road: Defective / Damaged

on: 14/04/2025 21:23
Classification: Request for service

Contact:

Plot Number: 1.00
Feature Id - Location: Ward 11 -From Cowgate to Chambers Street
Feature Type: Road Asset

Enquiry No.: 1836387
Service: Roads General
Desc.:
Location: There is a broken/missing drain cover, directly opposite the cycle workshop on the corner, address 13 Guthrie Street.

Logged by: Verint CRM Connector
Subject: Covers: Damaged / Defective

on: 25/09/2024 15:34
Classification: Request for service

Contact:

Plot Number: 1.00
Job Number: 50167127
Feature Id - Location: Ward 11 -From Cowgate to Chambers Street
Defect Number: 42165517
Feature Type: Road Asset

Enquiry No.: 1818044
Service: Roads General
Desc.:
Location: Pavement cover damaged and causing a trip hazard for pedestrians.

Logged by: Verint CRM Connector
Subject: Pavement: Damaged / Defective

on: 18/08/2024 08:16
Classification: Request for service

Contact:

2 x Pictures uploaded

Plot Number: 1.00
Job Number: 50165619
Feature Id - Location: Ward 11 -From Cowgate to Chambers Street
Defect Number: 42163950
Feature Type: Road Asset

Enquiry No.: 1742679
Service: Roads General
Desc.:
Location: Pothole dangerous to cyclists especially in dark

Logged by: Verint CRM Connector
Subject: Road: Defective / Damaged

on: 25/04/2024 08:51
Classification: Request for service

Contact:

Plot Number: 1.00
Job Number: 50159611
Feature Id - Location: Ward 11 -From Cowgate to Chambers Street
Defect Number: 42156197
Feature Type: Road Asset

Enquiry No.: 1706634
Service: Roads General
Desc.:
Location: 4 big holes on the road parallel to Chambers Street.

Logged by: Verint CRM Connector
Subject: Road: Defective / Damaged

on: 25/02/2024 21:22
Classification: Request for service

Contact:

Plot Number: 1.00
Job Number: 50154220
Feature Id - Location: Ward 11 -From Cowgate to Chambers Street
Defect Number: 42149285
Feature Type: Road Asset

Site History Report

Effective: 01/09/2020 to 24/12/2025
Service: Roads General
Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1706120 **Logged by:** Verint CRM Connector **on:** 24/02/2024 16:52
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Both corners in Guthrie St, the road surface is disintegrating into loose lumps and potholes. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 11 -From Cowgate to Chambers Street **Feature Type:** Road Asset
Job Number: 50154221 **Defect Number:** 42149286

Enquiry No.: 1667919 **Logged by:** Verint CRM Connector **on:** 28/12/2023 19:47
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Large potholes on the road **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 11 -From Cowgate to Chambers Street **Feature Type:** Road Asset
Job Number: 50149808 **Defect Number:** 42143642

Enquiry No.: 1648047 **Logged by:** Verint CRM Connector **on:** 21/11/2023 12:29
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: First corner of Guthrie St as you come from the Cowgate. Road surface severely degraded and crumbling. Lumps of displaced tarmac in the gutter. 8 deep holes. **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 11 -From Cowgate to Chambers Street **Feature Type:** Road Asset
Job Number: 50146498 **Defect Number:** 42140340

Enquiry No.: 1608471 **Logged by:** Verint CRM Connector **on:** 04/09/2023 12:57
Service: Roads General **Subject:** Road: Defective / Damaged **Classification:** Request for service
Desc.:
Location: Guthrie St at first corner of coming up from Cowgate. Pothole and disintegrating road surface on corner **Contact:**

Plot Number: 1.00 **Feature Id - Location:** Ward 11 -From Cowgate to Chambers Street **Feature Type:** Road Asset
Job Number: 50142301 **Defect Number:** 42135768

Enquiry No.: 1516738 **Logged by:** [REDACTED] **on:** 28/02/2023 16:32
Service: Roads General **Subject:** Pavement: Damaged / Defective **Classification:** Request for service
Desc.: Dear Sirs,
I have received a message to the effect that the pavement hazards I reported have been repaired.
All well and good BUT I was astounded to see that despite that fact that an inspector had been out to see the problem and a team had been round to fix the faults not 6 feet away from the original faults and another 10 feet away round the corner there are 2 similar faults which have been ignored. Again there are round holes in the pavement and sharp broken pieces of metal sticking out of the pavement.
It is appalling that the area has been inspected and repairs completed but similar faults, in plain sight of the original hazards, have been left untouched.
Regards
[REDACTED]
Location: As I said in my email the other faults are only 6 feet away from the faults that have been repaired. The nearest fault is right on the corner (see photo) and the other is further up the hill beyond a black metal bollard. **Contact:**

Site History Report

Effective: 01/09/2020 to 24/12/2025
Service: Roads General
Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Customer Services

Enquiry No.: 1513641	Logged by: Verint CRM Connector	on: 22/02/2023 09:35
Service: Roads General	Subject: Road: Defective / Damaged	Classification: Request for service
Desc.:		
Location: Sunken line across the road surface	Contact:	
Plot Number: 1.00	Feature Id - Location: Ward 11 -From Cowgate to Chambers Street	Feature Type: Road Asset
Job Number: 50129986	Defect Number: 42119645	
Enquiry No.: 1488755	Logged by: Verint CRM Connector	on: 10/01/2023 01:14
Service: Roads General	Subject: Road: Defective / Damaged	Classification: Request for service
Desc.:		
Location: Big pothole which damaged my wheel	Contact:	
Plot Number: 1.00	Feature Id - Location: Ward 11 -From Cowgate to Chambers Street	Feature Type: Road Asset
Enquiry No.: 1293394	Logged by: Verint CRM Connector	on: 20/12/2021 11:38
Service: Roads General	Subject: Road: Defective / Damaged	Classification: Request for service
Desc.:		
Location: ou can see evidence of a potential repair to part of it with the white marker but leaving the rest untouched when men/equipment/materials are already there, lazy work. This is Guthrie St, outside the Wee Spoke Hub.	Contact:	
Enquiry No.: 1180071	Logged by: Verint CRM Connector	on: 25/05/2021 10:10
Service: Roads General	Subject: Road: Defective / Damaged	Classification: Request for service
Desc.:		
Location: Previously filled in trench in the road: tarmac has broken up and a hole formed. Fragments of tarmac spread across road surface.	Contact:	
Plot Number: 1.00	Feature Id - Location: Ward 11 -From Cowgate to Chambers Street	Feature Type: Road Asset
Job Number: 50083857	Defect Number: 42069617	

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 1.00	Asset - Locn.: Ward 11 -From Cowgate to Chambers Street		Feature Type: Road Asset		Area: South East Locality	
50083857	2no potholes (RD: CW Pothole)	Outside no24	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	26/05/2021	27/05/2021	Act. ROAD/82050129
50085877	Potholes x 2 (RD: CW Pothole)	3m and 8m south of no 35	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	25/06/2021	28/06/2021	Act. ROAD/82051295
50085878	Pothole (RD: CW Pothole)	Opp no 31	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	25/06/2021	28/06/2021	Act. ROAD/82051296
50085880	2 Broken 900 x 600 slabs 1 x 750 x 600 and 2 600 x 600 need renewed and 2 x rocking slabs need reset (some cuts and small grano repair) (RD: FW Slabs Broken/Missing)	15m to 20m south of Cowgate (east footway)	RD: Cat 3 - 60 Day	Job Complete	25/06/2021	29/07/2021	Act. ROAD/82051298
50085883	Broken cut slab please renew (RD: FW Slabs Broken/Missing)	Opp no 19/21	RD: Cat 3 - 60 Day	Job Complete	25/06/2021	15/07/2021	Act. ROAD/82051301
50108031	1no pothole (RD: CW Pothole)	Outside no13	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	03/03/2022	06/03/2022	Act. ROAD/82061235

Site History Report

Effective: 01/09/2020 to 24/12/2025

Service: Roads General

Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00

Display Action Officer: No

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
Asset: 1.00		Asset - Locn.: Ward 11 -From Cowgate to Chambers Street		Feature Type: Road Asset		Area: South East Locality	
50115997	Low track approx 0.5x6m (RD: CW Cracked/Broken)	@ Kincaids court	RD: Cat 4 - Programmed	No code allocated	30/06/2022	30/06/2023	Est.
50125551	3no potholes (RD: CW Pothole)	Outside no24	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	06/01/2023	18/01/2023	Act. ROAD/82070397
50129745	2 x grano pothole on footway (RD: FW Grano Pothole)	Opposition number 31	RD: Cat 3 - 60 Day	Job Complete	20/02/2023	21/02/2023	Act. ROAD/82073073
50129986	1 number pothole (RD: CW Pothole)	Outside of Kincaid,s Court	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	22/02/2023	23/02/2023	Act. ROAD/82073212
50142301	1 number pothole (RD: CW Pothole)	Opposite number 24	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	07/09/2023	08/09/2023	Act. ROAD/82080542
50142362	1no cracked 900 x600 pcc grey flag (RD: FW Slabs Broken/Missing)	Outside no18	RD: Cat 4 - Programmed	Job Annulled	11/09/2023	11/09/2024	Est.
50142363	3no 600x900 pcc slabs 1no 600x750 pcc slab (RD: FW Slabs Broken/Missing)	Outside no18	RD: Cat 4 - Programmed	No code allocated	11/09/2023	11/09/2024	Est.
50146498	2no potholes (RD: CW Pothole)	At the corner opposite no24	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	23/11/2023	23/11/2023	Act. ROAD/82083129
50149808	2no potholes (RD: CW Pothole)	Outside no31	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	10/01/2024	31/01/2024	Act. ROAD/82085184
50154220	5no potholes (RD: CW Pothole)	Outside no24	RD: Cat 2 - 5 Day	RD: Made Safe Job Complete	27/02/2024	28/02/2024	Act. ROAD/82088231
50154221	5no potholes (RD: CW Pothole)	On the bend outside no31-33	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	27/02/2024	28/02/2024	Act. ROAD/82088232
50159611	1no pothole (RD: CW Pothole)	Outside no27	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	01/05/2024	08/05/2024	Act. ROAD/82092103
50165619	Collapsed Scottish Water manhole (RU: Utility Apparatus)	On the footway opposite no15	RU: Fail Med.Risk (Apparatus)	Job Complete	22/08/2024	23/08/2024	Act.
50166112	1no box cover 500mm x 500mm has been broken and missing on FW not sure who is responsible but needs renewed (RU: Utility Apparatus)	Opposite wee spoke hub shop No 13	RU: Fail Med.Risk (Apparatus)	Job Complete	04/09/2024	04/09/2024	Act.
50167127	Broken Scottish water cover on fw photos attached (RU: Utility Apparatus)	Guthrie Street. OPP 13 Cycle shop	RU: Fail Med.Risk (Apparatus)	Job Complete	27/09/2024	27/09/2024	Act.
50178514	1no Cw pothole (RD: CW Pothole)	Outside wee spoke hub bicycle shop	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	14/04/2025	14/04/2025	Act. ROAD/82105082
50183210	1no broken 600x600 pcc flag (RD: FW Slabs Broken/Missing)	Opposite Kincaids Court	RD: Cat 2 - 5 Day	Job Complete	30/07/2025	04/08/2025	Act. ROAD/82108112
50185485	2no Cw potholes (RD: CW Pothole)	Outside wee spoke hub bike shop	RD: Cat 3 - 60 Day	RD: Made Safe Job Complete	11/10/2025	13/10/2025	Act. ROAD/82109593

Site History Report

Effective: 01/09/2020 to 24/12/2025
Service: Roads General
Site: Guthrie Street (7901836)

Asset Number: 1.00 to 1.00
Display Action Officer: No

Maintenance Management

Job No.	Description	Location	Priority	Job Status	Entered	Completion	Works Order
	Asset: 1.00	Asset - Locn.: Ward 11 -From Cowgate to Chambers Street		Feature Type: Road Asset		Area: South East Locality	
50185486	Approx 8no Broken rocking slabs Area of broken grano approx 1m x 0.2m Remove slabs and infill with cold tar (RD: FW Slabs Broken/Missing)	On corner opposite no31	RD: Cat 3 - 60 Day	Job Complete	11/10/2025	18/12/2025	Act. ROAD/82109594
50185487	Give way road markings need refreshed (RD: Markings Refresh)	At junction with chambers street	RD: Cat 4 - Programmed	No code allocated	11/10/2025		
50185488	3 x Bollards missing (RD: Bollard Damage/Missing/New)	Opposite no 31	RD: Cat 4 - Programmed	No code allocated	11/10/2025		
50185489	Give way road markings need refreshed (RD: Markings Refresh)	At junction with cowgate	RD: Cat 4 - Programmed	No code allocated	11/10/2025		
50185490	Cw patch approx 5m x 4m (RD: CW Cracked/Broken)	At junction with cowgate	RD: Cat 4 - Programmed	No code allocated	11/10/2025		