

## 60080 Community Alarm and Telecare Services

I have been instructed to request information regarding your Local Authority's Community Alarm and Telecare service. I would be grateful if you could provide the following information for the most recent full financial year, or the most recent 12 month period for which data is available.

### **Service Model**

Does your Local Authority operate:

- A community alarm service
- A telecare service
- Both

Both

Is your Alarm Receiving Centre (ARC) operated:

- In-house
- Externally commissioned
- Through a shared service

Please state the provider where applicable.

In-house

If externally commissioned, is the contract volume based on a fixed annual cost?

Not applicable.

### **Responder Function**

Do you operate an in-house physical responder service for alarm/telecare activations?

- If yes, please outline responder operating hours (for example: 24/7, daytime only, overnight only).
- If you do not provide a responder service, who attends when a physical response is required (e.g., family, care at home teams, housing staff, Scottish Ambulance Service)?

Yes - This is a 24/7 service.

Do you provide responder services on islands or rural localities separately?

If so, please indicate any differences in hours or operating models.

No - Not applicable.

### **Activity Levels**

Please provide call volume data for your ARC for the most recent 12 month period:

- Total number of alarm activations
- Monthly call volumes (if available)

Total – 416,072 from January 2025 to January 2026.

Call volumes are not available.

Please provide responder activity levels for the same period:

- Total number of physical responder deployments
- Monthly responder deployments (if available)

Total – 13,236

Responder deployments – Not available

If available, please provide any breakdown of call types (for example: falls, no response alerts, fire/smoke activations, reassurance calls, personal care requests).

Not applicable.

### **Charging and Income**

Do you charge for community alarm or telecare services?

- If yes, please provide your current charging rate(s).
- If applicable, please confirm whether sheltered housing tenants are charged differently.

From 1 April 2025, the Telecare charges have been £6.71 per week for one pendant, £8.73 for two pendants, and a maximum of £9.72 for any additional sensors.

Sheltered housing tenants are not charged differently.

### **Workforce and Costs**

Please provide the following if available:

- Number of responder staff (FTE)
- Number of telecare/technical staff (FTE)
- Total cost of delivering community alarm and telecare services (including staffing and equipment) for the most recent year.
  - Responder Staff - Telecare call handling and the responder service are supported by a hybrid position. There are 50 FTE in total.
  - Telecare/Technical staff - The total number of other staffing (non-call handling/responder roles), including Telecare management roles, is 13 FTE.
  - For year 2025/26, the total budget would be £3.6m.

If an in-house responder service is provided, please outline the staffing model (for example: Care at Home Assistants, senior staff, technicians).

Service Manager (full service) – 1 FTE

Operations Lead (full service) – 1 FTE

Coordinator (full service) - 4 FTE

Senior Monitoring and Response Officer - 5 FTE

Monitoring and Response Officer - 45 FTE

### **Service Scope**

Do responders attend:

- Falls
- No response alerts
- Medical concerns
- Fire/smoke/CO alarms
- Flood detectors
- Personal care or toileting requests
- Reassurance visits

Please indicate which categories your service physically responds to.

- Falls - Yes
- No response alerts - Yes
- Medical concerns - No
- Fire/smoke/CO alarms - No
- Flood detectors - No
- Personal care or toileting requests - Yes
- Reassurance visits – Yes

Do you have any exclusions where responders will not attend?

Please refer to above response.

### **Future Plans or Redesign**

Are you currently reviewing or planning changes to your community alarm or telecare service model, responder capacity, or charging arrangements?

No.